

Rittal – The System.

Faster – better – everywhere.

精巧控制箱 EB – EB 1578.500

Date : 2022-11-9

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



精巧控制箱 EB – EB 1578.500

created: 09.11.2022 build on www.rittal.com/cn-zh



产品描述	
材料:	箱体和门：钢板，四周带有发泡聚氨酯塑料密封圈
表面:	箱体和门：浸涂底漆，外经粉末涂层，织纹 安装板：镀锌
颜色:	RAL 7035
防护等级 IP，符合 IEC 60 529 标准:	IP 66
防护等级 NEMA:	NEMA 4
IK 编码:	IK08
供货范围:	箱体配有铰接门 180° 铰链 配有 3 mm 双齿锁芯的凸缘锁 安装板
基本材料:	钢板
产品描述	
尺寸:	宽度: 300 mm 高度: 600 mm 深度: 155 mm
材料厚度:	箱体: 1.38 mm 门: 1.25 mm 安装板: 2 mm

安装板: 宽度: 275 mm
高度: 585 mm

锁具规格: 凸缘

锁具数量: 2

锁芯: 3 mm 双齿

包装单元: 1 件

重量/包装: 11 kg

EAN: 4028177440890

税率号: 94032080

ETIM 7.0: EC000261

ETIM 6.0: EC000261

eCl@ss 8.0/8.1: 27180101

eCl@ss 6.0/6.1: 27180101

产品描述: EB E-箱 300x600x155 RAL 7035

认证

认证: Bureau Veritas
C-UL
Lloyds Register of Shipping
RRR
UL
UL + C-UL

证书: Certificate of manufacturer according to RMRS
IK-Code
NA

声明: 符合性声明